

www.skutt.com

KM Visual Inspection

How can I check my KM kiln for proper operation?

One simple and quick test to determine that the relays and elements are working correctly is to visually inspect the kilns heating elements while the kiln is on. You can do this by entering the

following Ramp / Hold program on an empty kiln and running it with the lid open so you can

the elements glowing. It will usually take anywhere from 10 to 30 minutes to see the elements glow depending on the model of the kiln and the age of the elements. While looking at the elements you might notice the following:

- One section of the kiln is not going on. This indicates a defective relay that is not turning on. There is usually one relay per section.
- One element is not glowing at all. This indicates a broken element.
- There appears to be cool spots on some elements. This indicates worn elements.
- The TOP and BOTTOM elements are hotter than the center elements. This is normal for all kilns except the KM714 and the KM614.

The following is the program for checking relays and elements in the kiln:

<u>Step</u>	Press	Action Display
1	Ramp/Hold	Enters Ramp/Hold Mode USEr1.
(Older version touchpads will not have USER numbers available.)		
2	1	Enters Program USER number 1
3	Enter	Stores the Program number selected SEGS
(Older version touchpads will begin here.)		
4	1	Enters the number of segments in profile 1
5	Enter	Stores the number of segments rA1
6	9999	Enters the firing rate per hour of seg. 1 9999
7	Enter	Stores segment 1 firing rate 0F 1
8	1200	Enters the 0F temp. to reach before holding 1200
9	Enter	Stores the target temperature for segment 1 HLd1
10	0	Enters the time to hold at desired temp. 0000
11	Enter	Stores the hold time for segment 1 ALAr
12	9999	Enters the degrees to sound the alarm. 9999
13	Enter	Stores the alarm temperature StOP

The display will flash StOP after programming is complete, then it will begin flashing the internal kiln temperature. This program will be stored as USEr #1 for future use or revisions.

(USER numbers are available for newer model KM kilns manufactured after March of 1995).

Fax (503) 774-7833